

Application No. 10/748,034
Response dated January 8, 2007
Reply to Office Action of November 6, 2006

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1. (Previously Presented) A product comprising:
 - a package containing at least one disposable article;
 - the package comprising a top, a bottom, and a non-circular sidewall;
 - means for adapting the package to either fit into or be attached to a cup holder comprising a side support; and
 - wherein the means for adapting comprises a fifth panel.
- 2-6. (Canceled)
7. (Withdrawn) The product of claim 1 comprising an adaptor aperture located in the fifth panel.
- 8-11. (Canceled)
12. (Withdrawn) The product of claim 7 comprising a beverage container inserted into the adaptor aperture.
13. (Withdrawn) The product of claim 1 wherein the fifth panel comprises a slot and an adaptor member is inserted into the slot.

Application No. 10/748,034

Response dated January 8, 2007

Reply to Office Action of November 6, 2006

14. (Withdrawn) The product of claim 13 wherein the adaptor member comprises a circular body and a circular flange.
15. (Withdrawn) The product of claim 13 wherein the adaptor member comprises a circular body and a pair of tabs.
16. (Previously Presented) The product of claim 1 wherein the fifth panel comprises an adaptor member.
17. (Original) The product of claim 16 wherein the adaptor member comprises a pair of opposing adaptor sidewalls, which can be formed into a circular body, and the adaptor member is connected to the fifth panel by a living hinge.
18. (Original) The product of claim 17 wherein the adaptor member comprises a V-shaped pocket, which can be opened into a circular shape, the adaptor member when opened having a saddle-shaped bottom, and the adaptor member is connected to the fifth panel by a living hinge.
19. (Previously Presented) The product of claim 1 wherein the fifth panel is attached to the bottom.
- 20-21. (Canceled)
22. (Previously Presented) The product of claim 16 or 17 wherein the adaptor member comprises a circular body that has a diameter less than about 80 mm.

Application No. 10/748,034
Response dated January 8, 2007
Reply to Office Action of November 6, 2006

23. (Previously Presented) The product of claim 18 comprising a folded ridge where the pair of opposing adaptor sidewalls meet, and a pair of forming apertures disposed on either end of the folded ridge.
24. (Previously Presented) The product of claim 23 wherein the pair of forming apertures are heart shaped.
25. (Previously Presented) The product of claims 18 or 23 wherein the saddle-shaped bottom can be forced over-center to snap into an opened position.
26. (Previously Presented) The product of claims 1, 7, 13, 16, 17, or 18 wherein the package comprises a carton, the sidewall comprises four generally rectangular panels, a dispensing opening is located in the top, and the disposable article comprises a paper product.
27. (New) A product comprising:
a package containing at least one disposable article;
the package comprising a top, a bottom, a non-circular sidewall, and a fifth panel comprising an adaptor member; and
the adaptor member comprising a pair of opposing adaptor sidewalls which can be formed into a circular body, and the adaptor member is connected to the fifth panel by a living hinge.
28. (New) The product of claim 27 wherein the adaptor member comprises a V-shaped pocket, which can be opened into the circular shape and the adaptor member when opened having a saddle-shaped bottom.

Application No. 10/748,034

Response dated January 8, 2007

Reply to Office Action of November 6, 2006

29. (New) The product of claim 28 comprising a folded ridge where the pair of opposing adaptor sidewalls meet, and a pair of forming apertures disposed on either end of the folded ridge.
30. (New) The product of claim 29 wherein the pair of forming apertures are heart shaped.
31. (New) The product of claim 28 wherein the saddle-shaped bottom can be forced over-center to snap into an opened position.